

WATERBORNE DISEASES

	DISEASE		MODE OF TRANSMISSION
		Cholera is an acute disease of the small intestine caused by the bacterium Vibrio cholerae	Ingestion of water contaminated by the bacteria from the feces of a cholera patient
B a c		Escherichia coli is a strain of bacteria that causes severe diarrhea with bleeding and abdominal cramps	Primarily spread through uncooked meat, it can be contracted by swimming in contaminated water
t e r	marked .	Leptospirosis is a bacterial disease that could include high fever, severe headache, chills and vomiting	Exposure to water contaminated with the urine of infected animals. Primary hosts are rodents
i a	大学	Shigellosis is a bacterial disease that causes diarrhea, fever and stomach cramps	By hand-to-mouth contact with feces from a sick person or animal, eating contaminated foods, or drinking contaminated water
		Typhoid is an acute, life- threatening illness caused by the bacterium Salmonella typhi	By food and water contaminated with the feces and urine of patients and carriers. Polluted water is the most common source
V i r	3	Watery diarrhea and vomiting caused by a number of Gastroenteritis viruses, such as Norwalk virus	May be spread by swallowing water contaminated by infected individuals
u s e s		Hepatitis A is a viral disease that causes fever, loss of appetite and nausea	May be spread by contact with water contaminated with human feces or by people so did not wash their hands properly



WATER ENVIRONMENTAL LABORATORY AND CONSULTANCY SERVICES (WELCOS)

Email: Telephone: 042-37334448



Amebiasis is an intestinal The parasite produces illness caused by a cysts, which are passed microscopic parasite called from the body in the feces Entamoeba histolytica 0 Cryptosporidiosis is a One mouthful of contaminated parasitic illness that causes water can cause infection 0 diarrhea Z Giardiasis is caused by It is passed when feces of an 0 infected person or animal Giardia lamblia, one of the most commonly identified contaminate water or food. It intestinal parasites in the can also be spread by direct or U.S. and the most common indirect contact with fecal cause of diarrhea due to material from an infected contaminated water person or animal Н Bilharzia is a human Contact with water е disease caused by parasitic contaminated by bilharziaworms called transmitting snails exposes П **Schistosomiasis** you to infection by the parasite m People get infected when they drink standing water containing Guinea worm is a parasitic worm infection that occurs a tiny water flea that is infected mainly in Africa with the even tinier larvae of h the Guinea worm е



WATER ENVIRONMENTAL LABORATORY AND CONSULTANCY SERVICES (WELCOS)

Email: Telephone: 042-37334448